

Références bibliographiques

- [1] Sundström A.K, Rosén D., Rosén K.G. La surveillance foetale. Neoventa Medical AB.2006
- [2] Parer, J. T. and T. King. "Fetal heart rate monitoring: is it salvageable ?" *Am J Obstet Gynecol* 182(4): 982-7, 2000.
- [3] Thacker, S. B. and D. F. Stroup. "Revisiting the use of the electronic fetal monitor." *Lancet* 361(9356): 445-6, 2003.
- [4] Quilligan, E. J. and R. H. Paul. "Fetal monitoring: is it worth it ?" *Obstet Gynecol* 45(1): 96-100, 1975.
- [5] D Ayres de Campos et al. SisPorto 2.0 A Program for Automated Analysis of Cardiotocograms. *J Matern Fetal Med* 5:311-318, 2000.
- [6] Ingamells S, Saunders NJ, Burge D. Gastroschisis and reduced fetal-heart-rate variability. *Lancet*; 345: 1024-5, 1995.
- [7] Hiett AK, Devoe LD, Youssef A, Gardner P, Black M. utilisantAcomparison of visual and automated methods of analysing fetal heart rate tests. *AM J Obstet Gynecol* ; 168 : 1517-21, 1993.
- [8] Gagnon R, Campbell K, Hunse C. A comparison between visual and computer analysis of antepartum fetal heart rate tracings. *Am J Obstet Gynecol*; 168:842-7, 1993.
- [9] Ayres-de-Campos D, Bernardes J, Pereira-Leite L. Recent developments using SisPorto automated analysis of cardiotocograms. In: *Proceedings of the 3rd National Conference of Perinatal Medicine*. Timisoara: Romanian Association of Perinatal Medicine; p57–62, 1999.
- [10] Arduini D, Rizzo G, Piana G, Bonalumi A, Brambilla P, Romanini C. Computerized analysis of fetal heart rate. I. Description of the system (2CTG). *J Matern-Fetal Invest*;3:159 – 163, 1993.
- [11] Fournié A. et Boog G. Etude du rythme cardiaque foetal. *EMC-Gynécologie Obstétrique* 1, 2004; 22–50.
- [12] Hammcher K. et al. Fetal heart frequency and perinatal condition of the fetus and newborn. *J Gynecologica*, 1968; 166: 349-360.
- [13] Martin CB. Physiology and clinical use of fetal heart rate variability. *Clin Perinatal*. 1982 ; 339-352.

- [14] Boog G. Applications pratiques de l'analyse informatisée du rythme cardiaque fœtal par le système Sonicaid Oxford 8002 au cours de la grossesse et de l'accouchement. *Journal Gynecol Obstet Biol Reprod* 2001; 30 :28-41.
- [16] Ayres-de Campos D. et al. SisPorto 2.0: a program for automated analysis of cardiotocograms. *The Journal of Maternal-fetal Medicine*, 2000 Sep-Oct; 9(5):311-8.
- [17] Ayres-de-Campos D. et al. : Omniview-SisPorto 3.5. A central fetal monitoring station with online alerts based on computerized cardiotocogram + ST event analysis. *J. Perinat. Med.* 2008; 36: 260-264.
- [18] FIGO. Guidelines for the use of fetal monitoring. *International Journal of Gynecology & Obstetrics*, 1986; 25:159-167.
- [19] R.Sebastiano et al. Monitoring incremental histogram distribution for change detection in data streams, 2010; 25-42.
- [20] G.Boog. Analyse informatisée du rythme cardiaque fœtal au court de la grossesse et de l'accouchement. *EMC-Gynécologie Obstétrique* 1, 2004 ; 7-21.
- [21] V. Vapnik, *The Nature of Statistical Learning Theory*, Springer-Verlag, New York, 1995.
- [22] Cortes C. and Vapnik V.. Support vector networks. *Machine Learning*, 20: 273–297, 1995.
- [23] B. E. Boser, I. Guyon, and V. Vapnik. A training algorithm for optimal margin classifiers. In *Proceedings of the Fifth Annual Workshop on Computational Learning Theory*, pages 144{152. ACM Press, 1992.
- [24] Burges C.J.C. A tutorial on Support Vector Machines for patterns recognition. *Data Mining and Knowledge Discovery*, 2(2):121-167, 1998.
- [25] Smola A.J.and Schölkopf B. A tutorial on Support Vector Regression, *NeuroCOLT2 Technical Report Series*, NC2-TR-1998-030. October 1998.
- [26] Yadolah Dodge *Optimisation appliquée* Springer-Verlag France 2005 [Atteia and Gaches, 1999]
- [27] Atteia M. et Gaches J., *Approximation Hilbertienne - Splines, Ondelettes, Fractales*, PUG, 1999

[28] Korn H. . Les inattendus en neurophysiologie. In Pour la Science, volume 235, pages 10-13, mai 1997.

[29] Warren Sturgis McCulloch and Walter Pitts. A logical calculus of the ideas immanent in nervous activity. Bulletin of Mathematical Biophysics, 5:115-133, 1943.

[30] Franck Rosenblatt. The Perceptron : probabilistic model for information storage and organization in the brain. Psychological Review, 65:386-408, 1958.

[31] Marvin Lee Minsky and Seymour Papert. Perceptrons : an introduction to computational geometry. MIT Press, expanded edition, 1988.

[32] John Joseph Hopfield. Neural networks and physical systems with emergent collective computational abilities. Proceedings of the National Academy of Sciences, 79:2554-2558, 1982.

[33] Rumelhart D. E. and Mc Clelland J. L.. Parallel Distributed Processing: Exploration in the MicroStructure of Cognition. MIT Press, Cambridge, 1986.

[34] Tricot L. Qu'est-ce qu'un réseau de neurones ? = What is a neural network ? La Revue de Modulad , no17, pp. 101-103, 1996

[35] Pierre Borne, Mohamed Benrejeb, Joseph Haggège Les réseaux de neurones: présentation et applications. Technip. 2007

[36] D Ayres de Campos et al. SisPorto 2.0 A Program for Automated Analysis of Cardiotocograms. J Matern Fetal Med 5:311-318, 2000

[37] D Ayres de Camposa, C Costa-Santosb, J Bernardesa. Prediction of neonatal state by computer analysis of fetal heart rate tracings: the antepartum arm of the SisPorto1 multicentre validation study. Journal of Obstetrics & Gynecology and Reproductive Biology 118 (2005) 52–60. 2004

[38] Rooth G, Huch A, Huch R. Guidelines for the use of fetal monitoring.

Int J Gynecol Obstet;25:159 –167, 1987.

Sites web

[15] http://www.sonicaidfetalcare.com/fr_team.html